



Haryana State Pollution Control Board
 Near the Orion Banquet, Naraingarh Road, Baldev Nagar, Ambala.
 Email:- hspcbroamb@gmail.com



BMW Annual Report Details

Application Id: 39415611

Particulars of the Occupier	
Annual report submit for year:	2023
Name of the authorized person:	Poonam
Name of HCF or CBMWTF:	Civil Hospital Ambala City
Address for Correspondence:	Near Government Polytechnic
Address of Facility:	Near Government Polytechnic
Tel. No.:	9499172066
Fax. No.:	-
E-mail ID:	pmo.amb1@gmail.com
URL of Website:	
GPS coordinates of HCF of CBMWTF:	
Ownership of HCF or CBMWTF:	State Government
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	BMW22AMB22637867
Valid Upto:	31/03/2026
Status of Consents under Water Act and Air Act.:	
Valid Upto:	

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	200
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	
Licence Number:	0
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	12470
Red Category:	10379
White Category:	2189
Blue Category:	890
General Solid Waste:	910

Storage, Treatment, Transportation, Processing and Disposal Facility Details	
Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0



BMW Annual Report Details

Application Id: 39415611

Particulars of the Occupier	
Annual report submit for year:	2023
Name of the authorized person:	Poonam
Name of HCF or CBMWTF:	Civil Hospital Ambala City
Address for Correspondence:	Near Government Polytechnic
Address of Facility:	Near Government Polytechnic
Tel. No.:	9499172066
Fax. No.:	-
E-mail ID:	pmo.amb1@gmail.com
URL of Website:	
GPS coordinates of HCF of CBMWTF:	
Ownership of HCF or CBMWTF:	State Government
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	BMW22AMB22637867
Valid Upto:	31/03/2026
Status of Consents under Water Act and Air Act.:	
Valid Upto:	

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	200
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	
Licence Number:	0
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	12470
Red Category:	10379
White Category:	2189
Blue Category:	890
General Solid Waste:	910

Storage, Treatment, Transportation, Processing and Disposal Facility Details	
Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0

No of vehicles used for collection and transportation of BMW:	1
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Rudraksh Enviro Care
Details of the on-site storage facility:	
Size:	10X12
Capacity:	All types of segregated/color coded waste are collected and stored.
Provision of on-site storage:	Dedicated BMW Storage Room

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	yes
details:	BMW Committee

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	15
Number of personnel trained:	250
Number of personnel trained at the time of induction:	17
Number of personnel not undergone any training so far:	0
Whether standard manual for training is available:	yes
Any other information:	Regular trainings are being provided to the users and waste handlers.

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	0
Any Fatality occurred, details:	0

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	NA
Details of Continuous online emission monitoring systems installed:	NA

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	NA
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	NA
Any other relevant information:	NA